



LANARTEX S.r.l.

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903
E-mail: labo@lanartex.it
www.lanartex.it



MESSRS:
TEXMODA TESSUTI SRL

Via dei Pioppi 18/22
59100 PRATO (PO)
IT

| | |
|----------------------|----------------------|
| REPORT NR | 250006438-001 |
| REPORT DATE | 03/10/2025 |
| ACCEPTANCE DATE | 24/09/2025 |
| START TEST DATE | 01/10/2025 |
| END TEST DATE | 01/10/2025 |
| SAMPLING BY CUSTOMER | |

TEST REPORT

Item Name: ART. EVER NYLON COL. TIPO

Material type: Orthogonal fabric

Intended use: Clothing



Technical Manager
Dott.ssa Guidotti Valentina

Chief of Physical-Dyeing Dept.
Barni Giacomo

Manager Director
Patrizia Rosati

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.



LANARTEX S.r.l.

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903
E-mail: labo@lanartex.it
www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

TEST LIST

| TEST | METHOD | ACCREDIA |
|--|---|----------|
| Colour fastness - Artificial light <i>Solidità delle Tinte - Luce artificiale</i> | UNI EN ISO 105 B02:2014 | |
| Analysis of fabric propensity to surface Pilling, Fuzzing or Matting <i>Analisi della tendenza alla formazione di Pilling, Fuzzing o Matting</i> | UNI EN ISO 12945-2:2021 + UNI EN ISO 12945-4:2021 | |
| Abrasion resistance <i>Resistenza all'abrasione</i> | UNI EN ISO 12947-1:2000 + UNI EN ISO 12947-2:2017 | |
| Research and Dosage of Alkylphenols-ethoxylates (APEO's) <i>Ricerca e Dosaggio degli Alchilfenoli-etossilati (APEO's)</i> | ISO 18254-1:2016 | |
| Research and dosage of polyfluorinated compounds (PFC's) <i>Ricerca e dosaggio dei composti polifluorurati (PFC's)</i> | UNI CEN/TS 15968:2010 | |
| Research and dosage of pesticides <i>Ricerca e dosaggio dei pesticidi</i> | GB/T 18412-1:2006 | * |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.

**LANARTEX S.r.l.**

Via I Maggio, 27
 59013 Oste - Montemurlo (PO)
 Tel.: 0574-071701 Fax: 0574-899903
 E-mail: labo@lanartex.it
 www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

RESULTS

| | M.U. | RESULT |
|--|-------|--------|
| UNI EN ISO 105 B02:2014 | | |
| Colour fastness - Artificial light | | |
| <i>Solidità delle Tinte - Luce artificiale</i> | | |
| <hr/> | | |
| Method of testing | | 3 |
| <i>Metodo di prova</i> | | |
| Colour change | | 4 |
| <i>Cambio di tono</i> | Grado | |

NOTES

Apparatus: Xenotester Q-SUN Xe 2-HS ; **Test conditions:** Normal according to Table nr. 2; **Exposure specimen condition:** no flip-flop mode; Evaluated by comparison with the Blue Scale compliant with ISO 105 B02 with values from 1 to 8 (methods 1 to 3) and with the Gray Scale for the tone change compliant with ISO 105 A02 with values from 1 to 5 (method 5), this is also used for the intermediate evaluation of the Blue Scale for methods 1 to 3.

Apparecchiatura di prova: Xenotester Q-SUN Xe 2-HS ; **Condizioni di prova:** Normali secondo tabella nr. 2; **Modalità di esposizione provino:** no flip-flop; Valutazioni effettuate per confronto con Scala dei Blu conforme a ISO 105 B02 con valori da 1 a 8 (metodi da 1 a 3) e con Scala dei Grigi per il cambiamento di tono conforme a ISO 105 A02 con valori da 1 a 5 (metodo 5), quest'ultima viene anche impiegata per la valutazione intermedia della Scala dei Blu per i metodi da 1 a 3.

| | M.U. | RESULT |
|---|-------|------------------|
| UNI EN ISO 12945-2:2021 + UNI EN ISO 12945-4:2021 | | |
| Analysis of fabric propensity to surface Pilling, Fuzzing or Matting | | |
| <i>Analisi della tendenza alla formazione di Pilling, Fuzzing o Matting</i> | | |
| <hr/> | | |
| Number of specimens | | 3 |
| <i>Numero di provette</i> | Nr | |
| Abrading fabric | | Same fabric |
| <i>Mezzo abrasadente</i> | | Tessuto in esame |
| Applied load | | 415±2 |
| <i>Carico applicato</i> | g | |
| Pilling - Average assessment at 125 rubs | | 3 |
| <i>Pilling - Valutazione a 125 sfregamenti media</i> | Grado | |
| Fuzzing - Average assessment at 125 rubs | | 3 |
| <i>Fuzzing - Valutazione a 125 sfregamenti media</i> | Grado | |
| Matting - Average assessment at 125 rubs | | 3 |
| <i>Matting - Valutazione a 125 sfregamenti media</i> | Grado | |
| Pilling - Average assessment at 500 rubs | | 2-3 |
| <i>Pilling - Valutazione a 500 sfregamenti media</i> | Grado | |
| Fuzzing - Average assessment at 500 rubs | | 3 |
| <i>Fuzzing - Valutazione a 500 sfregamenti media</i> | Grado | |
| Matting - Average assessment at 500 rubs | | 2-3 |
| <i>Matting - Valutazione a 500 sfregamenti media</i> | Grado | |
| Pilling - Average assessment at 1.000 rubs | | 2 |
| <i>Pilling - Valutazione a 1.000 sfregamenti media</i> | Grado | |
| Fuzzing - Average assessment at 1.000 rubs | | 3 |
| <i>Fuzzing - Valutazione a 1.000 sfregamenti media</i> | Grado | |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.

**LANARTEX S.r.l.**

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903
E-mail: labo@lanartex.it
www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

Matting - Average assessment at 1.000 rubs*Matting - Valutazione a 1.000 sfregamenti media*

Grado 2

Pilling - Average assessment at 2.000 rubs*Pilling - Valutazione a 2.000 sfregamenti media*

Grado 2

Fuzzing - Average assessment at 2.000 rubs*Fuzzing - Valutazione a 2.000 sfregamenti media*

Grado 3

Matting - Average assessment at 2.000 rubs*Matting - Valutazione a 2.000 sfregamenti media*

Grado 2

Test finished at (according to the customer)*Test concluso a (in accordo con il cliente)*

Sfreg. 2000

NOTES

The specimens have been conditioned at least 16 h and the test executed in atmosphere to 20±2°C and 65±4%RH in compliance with norm UNI EN ISO 139; Number of observers: 2. Assessment in compliance with ISO 12945-4 standard.

I campioni da testare sono stati condizionati per almeno 16 h e la prova eseguita in ambiente a 20±2°C e 65±4%UR conformemente alla norma UNI EN ISO 139; Numero di osservatori: 2. Valutazione eseguita in conformità alla normativa ISO 12945-4.

M.U.**RESULT****UNI EN ISO 12947-1:2000 + UNI EN ISO 12947-2:2017****Abrasion resistance***Resistenza all' abrasione***Sample type detail***Dettaglio tipologia campione*

Woven fabric

Ortagonale semplice

Applied load*Carico applicato*

kPa 9

Abrading fabric*Mezzo abradente*

Standard wool

Lana standard

Type of End point*Tipologia di End point*

Fully Worn Off Area

Completa Scopertura Del Provino

Pilling remove*Rimozione pilling*

None

Non avvenuta

Number of specimens*Numero di provini*

Nr 3

Change of Tone at End Point*Cambio di Tono a End Point*

Grado 3-4

Result prior to the End Point - Specimen 1*Risultato antecedente all' End Point - Provino 1*

Sfreg. 10000

Result prior to the End Point - Specimen 2*Risultato antecedente all' End Point - Provino 2*

Sfreg. 10000

Result prior to the End Point - Specimen 3*Risultato antecedente all' End Point - Provino 3*

Sfreg. 10000

Significant result*Risultato significativo*Sfreg. **10000**

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.



LANARTEX S.r.l.

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903
E-mail: labo@lanartex.it
www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

NOTES

The specimens have been acclimatized and the test executed in atmosphere to 20±2°C and 65±4%RH in compliance with norm UNI EN ISO 139; Instrument: Martindale; CT : it shows the number of cycles at which a change in the aspect is observed and evaluated on the Grey scale for colour change.

I campioni da testare sono stati ambientati e la prova eseguita in ambiente a 20±2°C e 65±4%UR conformemente alla norma UNI EN ISO 139; Strumento: Martindale; CT: indica il numero di cicli al quale si osserva un cambiamento di aspetto valutato con la scala dei grigi (cambiamento di tono).

| M.U. | RESULT |
|--|--------------|
| ISO 18254-1:2016 | |
| Research and Dosage of Alkylphenols-ethoxylates (APEO's) | |
| <i>Ricerca e Dosaggio degli Alchilifenoli-etossilati (APEO's)</i> | |
| Nonylphenols-ethoxylated (NPEO) [37205-87-1(*), 20427-84-3(*), 68412-54-4] | |
| mg/kg | 228.7 |
| <i>Nonilfenoli-etossilati (NPEO) [37205-87-1(*), 20427-84-3(*), 68412-54-4]</i> | |
| Octylphenols-ethoxylated (OPEO) [9036-19-5, 9002-93-1(*), 2315-61-9(*), 2315-67-5(*)] | |
| mg/kg | 129.2 |
| <i>Octilfenoli-etossilati (OPEO) [9036-19-5, 9002-93-1(*), 2315-61-9(*), 2315-67-5(*)]</i> | |
| Total content of Alkylphenols-ethoxylated (APEO's) | |
| mg/kg | 357.9 |
| <i>Contenuto totale di Alchilifenoli-etossilati (APEO's)</i> | |

NOTES

N.D. - Not detectable; Limit of Quantification (LoQ): 10.0 mg/kg; Analytical instrument: LC-MSMS. If the total APEO content is less than 50 mg/kg, the reference standard provides for no result to be expressed. However, the laboratory, as requested by the customer and in derogation from the standard, reports any result under 50 mg/kg but above its declared limit of quantification. This data is to be considered purely indicative yet. The laboratory declines all responsibility in this regard.

N.D. - Non rilevabile; Limite di Quantificazione (LoQ): 10.0 mg/kg; Strumentazione analitica: LC-MSMS.

Se il contenuto totale di APEO è inferiore a 50 mg/kg, la norma di riferimento prevede di non esprimere un risultato. Il laboratorio tuttavia, come da richiesta del cliente e in deroga alla normativa, riporta invece anche qualsiasi risultato inferiore a 50mg/kg se comunque superiore al proprio limite di quantificazione dichiarato; tale dato è però da ritenersi del tutto orientativo. Il laboratorio declina ogni responsabilità in merito.

| M.U. | RESULT |
|--|--------------|
| UNI CEN/TS 15968:2010 | |
| Research and dosage of polyfluorinated compounds (PFC's) | |
| <i>Ricerca e dosaggio dei composti polifluorurati (PFC's)</i> | |
| Heptafluorobutyric acid (PFBA) [375-22-4] (*) | |
| µg/kg | N.D. |
| <i>Heptafluorobutyric acid (PFBA) [375-22-4] (*)</i> | |
| Perfluoropentanoic acid (PFPeA) [2706-90-3] (*) | |
| µg/kg | N.D. |
| <i>Perfluoropentanoic acid (PFPeA) [2706-90-3] (*)</i> | |
| Undecafluorohexanoic acid (PFHxA) [307-24-4] (*) | |
| µg/kg | N.D. |
| <i>Undecafluorohexanoic acid (PFHxA) [307-24-4] (*)</i> | |
| Perfluoroheptanoic acid (PFHpA) [375-85-9] (*) | |
| µg/kg | 1.917 |
| <i>Perfluoroheptanoic acid (PFHpA) [375-85-9] (*)</i> | |
| Nonfluorobutane-1-sulfonic acid (PFBS) [375-73-5] (*) | |
| µg/kg | N.D. |
| <i>Nonfluorobutane-1-sulfonic acid (PFBS) [375-73-5] (*)</i> | |
| Tridecafluorohexane-1-sulfonic acid (PFHxS) [3871-99-6] (*) | |
| µg/kg | N.D. |
| <i>Tridecafluorohexane-1-sulfonic acid (PFHxS) [3871-99-6] (*)</i> | |
| Tricosafuorododecanoic acid (PFDoA) [307-55-1] (*) | |
| µg/kg | N.D. |
| <i>Tricosafuorododecanoic acid (PFDoA) [307-55-1] (*)</i> | |
| Perfluorodecanoic acid (PFDA) [335-76-2] (*) | |
| µg/kg | 1.188 |
| <i>Perfluorodecanoic acid (PFDA) [335-76-2] (*)</i> | |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.

**LANARTEX S.r.l.**

Via I Maggio, 27
 59013 Oste - Montemurlo (PO)
 Tel.: 0574-071701 Fax: 0574-899903
 E-mail: labo@lanartex.it
 www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

| | | |
|--|-------|-------|
| 2H,2H,3H,3H - Perfluoroundecanoic acid (4HPFUnA) [34598-33-9] (*) <i>2H,2H,3H,3H - Perfluoroundecanoic acid (4HPFUnA) [34598-33-9] (*)</i> | µg/kg | N.D. |
| Perfluorononanoic acid (PFNA) [375-95-1] (*) <i>Perfluorononanoic acid (PFNA) [375-95-1] (*)</i> | µg/kg | N.D. |
| Perfluorotetradecanoic acid (PFTeA) [376-06-7] (*) <i>Perfluorotetradecanoic acid (PFTeA) [376-06-7] (*)</i> | µg/kg | N.D. |
| Sulfluramid (N-Et-FOSA) [4151-50-2] <i>Sulfluramid (N-Et-FOSA) [4151-50-2]</i> | µg/kg | N.D. |
| Perfluorotridecanoic acid (PFTrA) [72629-94-8] (*) <i>Perfluorotridecanoic acid (PFTrA) [72629-94-8] (*)</i> | µg/kg | N.D. |
| Perfluorooctanesulphonamide (PFOSA) [754-91-6] <i>Perfluorooctanesulphonamide (PFOSA) [754-91-6]</i> | µg/kg | N.D. |
| Perfluorooctane sulfonic acid (PFOS) [1763-23-1] <i>Perfluorooctane sulfonic acid (PFOS) [1763-23-1]</i> | µg/kg | N.D. |
| Perfluoro (3,7-dimethyloctanoic acid) (PF-3,7-DMOA) [172155-07-6] (*) <i>Perfluoro (3,7-dimethyloctanoic acid) (PF-3,7-DMOA) [172155-07-6] (*)</i> | µg/kg | N.D. |
| Perfluoroundecanoic acid (PFUnA) [2058-94-8] (*) <i>Perfluoroundecanoic acid (PFUnA) [2058-94-8] (*)</i> | µg/kg | N.D. |
| N-MeFOSA - N-Methylperfluoro-1-octanesulfonamide [31506-32-8] <i>N-MeFOSA - N-Methylperfluoro-1-octanesulfonamide [31506-32-8]</i> | µg/kg | N.D. |
| Pentadecafluorooctanoic acid (PFOA) [335-67-1] (*) <i>Pentadecafluorooctanoic acid (PFOA) [335-67-1] (*)</i> | µg/kg | 2.820 |
| Perfluorohexanesulfonamide (PFHxSA) [41997-13-1] (*) <i>Perfluorohexanesulfonamide (PFHxSA) [41997-13-1] (*)</i> | µg/kg | N.D. |
| Perfluorooctnesulfonyl fluoride (PFOSF) [307-35-7] (*) <i>Perfluorooctnesulfonyl fluoride (PFOSF) [307-35-7] (*)</i> | µg/kg | N.D. |
| 2H,2H-Perfluorodecanoic acid (H2PFDA) [27854-31-5] (*) <i>2H,2H-Perfluorodecanoic acid (H2PFDA) [27854-31-5] (*)</i> | µg/kg | N.D. |
| 1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS) [39108-34-4] (*) <i>1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS) [39108-34-4] (*)</i> | µg/kg | N.D. |
| 1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS) [120226-60-0] (*) <i>1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS) [120226-60-0] (*)</i> | µg/kg | N.D. |
| Heptafluorobutyric acid (PFBA) [375-22-4] (*) <i>Heptafluorobutyric acid (PFBA) [375-22-4] (*)</i> | µg/kg | N.D. |
| Perfluoropentanoic acid (PFPeA) [2706-90-3] (*) <i>Perfluoropentanoic acid (PFPeA) [2706-90-3] (*)</i> | µg/kg | N.D. |
| Undecafluorohexanoic acid (PFHxA) [307-24-4] (*) <i>Undecafluorohexanoic acid (PFHxA) [307-24-4] (*)</i> | µg/kg | N.D. |
| Perfluoroheptanoic acid (PFHpA) [375-85-9] (*) <i>Perfluoroheptanoic acid (PFHpA) [375-85-9] (*)</i> | µg/kg | N.D. |
| Nonafluorobutane-1-sulfonic acid (PFBS) [375-73-5] (*) <i>Nonafluorobutane-1-sulfonic acid (PFBS) [375-73-5] (*)</i> | µg/kg | N.D. |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.

**LANARTEX S.r.l.**

Via I Maggio, 27
 59013 Oste - Montemurlo (PO)
 Tel.: 0574-071701 Fax: 0574-899903
 E-mail: labo@lanartex.it
 www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

| | | |
|---|-------|------|
| Tridecafluorohexane-1-sulfonic acid (PFHxS) [3871-99-6] (*) | | N.D. |
| <i>Tridecafluorohexane-1-sulfonic acid (PFHxS) [3871-99-6] (*)</i> | µg/kg | |
| Tricosafuorododecanoic acid (PFDoA) [307-55-1] (*) | | N.D. |
| <i>Tricosafuorododecanoic acid (PFDoA) [307-55-1] (*)</i> | µg/kg | |
| Perfluorodecanoic acid (PFDA) [335-76-2] (*) | | N.D. |
| <i>Perfluorodecanoic acid (PFDA) [335-76-2] (*)</i> | µg/kg | |
| 4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11 Heptadecafluoroundecanoic acid (4HPFUnA) [34598-33-9] (*) | | N.D. |
| <i>4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11 Heptadecafluoroundecanoic acid (4HPFUnA) [34598-33-9] (*)</i> | µg/kg | |
| Perfluorononanoic acid (PFNA) [375-95-1] (*) | | N.D. |
| <i>Perfluorononanoic acid (PFNA) [375-95-1] (*)</i> | µg/kg | |
| Perfluorotetradecanoic acid (PFTeA) [376-06-7] (*) | | N.D. |
| <i>Perfluorotetradecanoic acid (PFTeA) [376-06-7] (*)</i> | µg/kg | |
| Sulfluramid (N-Et-FOSA) [4151-50-2] | | N.D. |
| <i>Sulfluramid (N-Et-FOSA) [4151-50-2]</i> | µg/kg | |
| Perfluorotridecanoic acid (PFTrA) [72629-94-8] (*) | | N.D. |
| <i>Perfluorotridecanoic acid (PFTrA) [72629-94-8] (*)</i> | µg/kg | |
| Perfluorooctanesulphonamide (PFOSA) [754-91-6] | | N.D. |
| <i>Perfluorooctanesulphonamide (PFOSA) [754-91-6]</i> | µg/kg | |
| Perfluorooctane sulfonic acid (PFOS) [1763-23-1] | | N.D. |
| <i>Perfluorooctane sulfonic acid (PFOS) [1763-23-1]</i> | µg/kg | |
| Perfluoro (3,7-dimethyloctanoic acid) (PF-3,7-DMOA) [172155-07-6] (*) | | N.D. |
| <i>Perfluoro (3,7-dimethyloctanoic acid) (PF-3,7-DMOA) [172155-07-6] (*)</i> | µg/kg | |
| N-MeFOSA - N-Methylperfluoro-1-octanesulfonamide [31506-32-8] | | N.D. |
| <i>N-MeFOSA - N-Methylperfluoro-1-octanesulfonamide [31506-32-8]</i> | µg/kg | |
| Perfluoroundecanoic acid (PFUnA) [2058-94-8] (*) | | N.D. |
| <i>Perfluoroundecanoic acid (PFUnA) [2058-94-8] (*)</i> | µg/kg | |
| N-MeFOSE - 2-(N-methylperfluoro-1-octanesulfonamido)-ethanol [24448-09-7] (*) | | N.D. |
| <i>N-MeFOSE - 2-(N-methylperfluoro-1-octanesulfonamido)-ethanol [24448-09-7] (*)</i> | µg/kg | |
| N-ethyl-N-(2-hydroxyethyl) perfluorooctylsulfonamide (N-Et-FOSE) [1691-99-2] (*) | | N.D. |
| <i>N-ethyl-N-(2-hydroxyethyl) perfluorooctylsulfonamide (N-Et-FOSE) [1691-99-2] (*)</i> | µg/kg | |
| Pentadecafluorooctanoic acid (PFOA) [335-67-1] (*) | | N.D. |
| <i>Pentadecafluorooctanoic acid (PFOA) [335-67-1] (*)</i> | µg/kg | |
| Sum PFOS acid equivalent | | N.D. |
| <i>Contenuto totale equivalente acidi di PFOS</i> | µg/kg | |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.

**LANARTEX S.r.l.**

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903

E-mail: labo@lanartex.it
www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

NOTES

N.D. - Not detectable; Limit of quantification (LoQ): 0.5 ppb = 0.125 µg/m² = 1.25 µg/kg; Instrument: LC-MSMS.
Conversion factor: 1 ppb = 0.250 µg/m².
As an exception to the method, according to the customer's indications, the laboratory expresses the data in µg/kg (or ppb) instead of µg/m². The laboratory declines all responsibility in this regard.
To obtain the results in µg/kg, data expressed in ppb is multiplied by the extraction volume (5 mL) and divided by the mass expressed in grams, of a sample of 200 cm².
The individual data indicated are to be considered valid since it has been verified that the recovery as % values are between 70 and 125%, according to point 12.2 of the standard. The values of the following compounds (CAS: 4151-50-2; CAS:754-91-6; CAS: 31506-32-8; CAS: 24448-09-7; CAS: 1691-99-2) are reported as acid equivalents with respect to the PFOS compound.
Confirmation about the identification of the compounds is performed in accordance with annex C of the standard which follows the rules reported in the European Directive Dir. 96/23/CE.

N.D. - Non rilevabile; Limite di quantificazione (LoQ): 0.5 ppb = 0.125 µg/m² = 1.25 µg/kg; Strumentazione: LC-MSMS.
Fattore di conversione: 1 ppb = 0.250 µg/m².
In deroga al metodo, come da richiesta del cliente, il laboratorio esprime i risultati di ogni analita in µg/kg (o ppb) al posto di µg/m². Il laboratorio declina ogni responsabilità in merito.
Per ottenere il valore in µg/kg, il dato espresso in ppb viene moltiplicato per il volume di estrazione (5 mL) e diviso per la massa in grammi, di un provino da 200 cm².
I singoli dati indicati sono da ritenersi validi in quanto verificato che i valori di recupero % sono compresi tra 70 e 125%, come previsto dal punto 12.2 della norma. I valori dei seguenti composti (CAS: 4151-50-2; CAS:754-91-6; CAS: 31506-32-8; CAS: 24448-09-7; CAS: 1691-99-2) sono riportati come equivalenti acidi rispetto al composto PFOS.
La conferma per l'identificazione dei composti viene eseguita in accordo con l'annex C della norma che segue le regole riportate nella Direttiva Europea Dir. 96/23/CE.

| | M.U. | RESULT |
|--|-------------|---------------|
| GB/T 18412-1:2006 | | |
| Research and dosage of pesticides | | |
| <i>Ricerca e dosaggio dei pesticidi</i> | | |
| ----- | | |
| Dieldrin [60-57-1] | | N.D. |
| <i>Dieldrina [60-57-1]</i> | mg/kg | |
| Malathion [121-75-5] | | N.D. |
| <i>Malatione [121-75-5]</i> | mg/kg | |
| Permethrin [52645-53-1] | | N.D. |
| <i>Permetrina [52645-53-1]</i> | mg/kg | |
| Tolyfluanide [731-27-1] | | N.D. |
| <i>Tolifluanide [731-27-1]</i> | mg/kg | |
| Trifluralin [1582-09-8] | | N.D. |
| <i>Trifluralin [1582-09-8]</i> | mg/kg | |
| Coumaphos [56-72-4] | | N.D. |
| <i>Coumaphos [56-72-4]</i> | mg/kg | |
| Captafol [2425-06-1] | | N.D. |
| <i>Captafol [2425-06-1]</i> | mg/kg | |
| Aldrine [309-00-2] (*) | | N.D. |
| <i>Aldrine [309-00-2] (*)</i> | mg/kg | |
| p,p-DDD [72-54-8] (*) | | N.D. |
| <i>p,p-DDD [72-54-8] (*)</i> | mg/kg | |
| p,p-DDE [72-55-9] (*) | | N.D. |
| <i>p,p-DDE [72-55-9] (*)</i> | mg/kg | |
| p,p-DDT [789-02-6] (*) | | N.D. |
| <i>p,p-DDT [789-02-6] (*)</i> | mg/kg | |
| o,p-DDD [53-19-0] (*) | | N.D. |
| <i>o,p-DDD [53-19-0] (*)</i> | mg/kg | |
| o,p-DDE [3424-82-6] (*) | | N.D. |
| <i>o,p-DDE [3424-82-6] (*)</i> | mg/kg | |
| o,p-DDT [50-29-3] (*) | | N.D. |
| <i>o,p-DDT [50-29-3] (*)</i> | mg/kg | |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.

**LANARTEX S.r.l.**

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903

E-mail: labo@lanartex.it
www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

| | | |
|--|-------|------|
| Dieldrine [60-57-1] (*) <i>Dieldrine [60-57-1] (*)</i> | mg/kg | N.D. |
| Endrine [72-20-8] (*) <i>Endrine [72-20-8] (*)</i> | mg/kg | N.D. |
| Heptachlor [76-44-8] (*) <i>Heptachlor [76-44-8] (*)</i> | mg/kg | N.D. |
| Isodrine [465-73-6] (*) <i>Isodrine [465-73-6] (*)</i> | mg/kg | N.D. |
| Methoxychlor [72-43-5] (*) <i>Methoxychlor [72-43-5] (*)</i> | mg/kg | N.D. |
| α - Endosulfan [959-98-8] (*) <i>α - Endosulfan [959-98-8] (*)</i> | mg/kg | N.D. |
| β - Endosulfan [33213-65-9] (*) <i>β - Endosulfan [33213-65-9] (*)</i> | mg/kg | N.D. |
| α - Hexachlorocyclohexane [319-84-6] (*) <i>α - Hexachlorocyclohexane [319-84-6] (*)</i> | mg/kg | N.D. |
| β - Hexachlorocyclohexane [319-85-7] (*) <i>β - Hexachlorocyclohexane [319-85-7] (*)</i> | mg/kg | N.D. |
| δ - Hexachlorocyclohexane [319-86-8] (*) <i>δ - Hexachlorocyclohexane [319-86-8] (*)</i> | mg/kg | N.D. |
| γ - Hexachlorocyclohexane (Lindan) [58-89-9] (*) <i>γ - Hexachlorocyclohexane (Lindan) [58-89-9] (*)</i> | mg/kg | N.D. |
| cis-Chlordane [5103-71-9] (*) <i>cis-Chlordane [5103-71-9] (*)</i> | mg/kg | N.D. |
| trans-Chlordane [5103-74-2] (*) <i>trans-Chlordane [5103-74-2] (*)</i> | mg/kg | N.D. |
| Ethylparathion [56-38-2] (*) <i>Ethylparathion [56-38-2] (*)</i> | mg/kg | N.D. |
| Mirex [2385-85-5] (*) <i>Mirex [2385-85-5] (*)</i> | mg/kg | N.D. |
| Dichlofluanide [1085-98-9] (*) <i>Dichlofluanide [1085-98-9] (*)</i> | mg/kg | N.D. |
| Heptachloroepoxide [1024-57-3] (*) <i>Heptachloroepoxide [1024-57-3] (*)</i> | mg/kg | N.D. |
| Pentachloroanisole [1825-21-4] (*) <i>Pentachloroanisole [1825-21-4] (*)</i> | mg/kg | N.D. |
| Chlorthalonil [1897-45-6] (*) <i>Chlorthalonil [1897-45-6] (*)</i> | mg/kg | N.D. |
| Alachlor [15972-60-8] (*) <i>Alachlor [15972-60-8] (*)</i> | mg/kg | N.D. |
| Atrazine [1912-24-9] (*) <i>Atrazine [1912-24-9] (*)</i> | mg/kg | N.D. |

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.



LANARTEX S.r.l.

Via I Maggio, 27
59013 Oste - Montemurlo (PO)
Tel.: 0574-071701 Fax: 0574-899903
E-mail: labo@lanartex.it
www.lanartex.it



REPORT NR
REPORT DATE

250006438-001
03/10/2025

Pentachlorobenzene [608-93-5] (*)

Pentachlorobenzene [608-93-5] ()*

mg/kg

N.D.

Hexachlorobenzene [118-74-1]

Hexachlorobenzene [118-74-1]

mg/kg

N.D.

NOTES

N.D. - Not detectable; Detection limit (LOD): 0,006 mg/kg each; Limit of Quantification (LoQ): 0.15 mg/kg; Analytical instrument: GC-MS.

N.D. - Non rilevabile; Limite di rilevabilità (LOD): 0,006 mg/kg ciascuna; Limite di Quantificazione (LoQ): 0.15 mg/kg; Strumentazione analitica: GC-MS.

END OF REPORT

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received**. For any further information, please read the General Sales Condition on the Lanartex website.